

# LAMOR SWIRE ENVIRONMENTAL SOLUTIONS

**PORT PACKAGE "A" – 2 packages in LSES stock**

|  |  |
|--|--|
| <b>100m Foam Filled Boom (FOB 900/25)</b>  |  |
|    | <ul style="list-style-type: none"> <li>• Solid flotation "Fence Boom"</li> <li>• 25m lengths x 0.9m wide</li> <li>• Weighs 5.3kg/m</li> <li>• Loaded 100m/ storage rack</li> <li>• PVC coated polyester construction</li> <li>• Chain ballast and tension member</li> <li>• ASTM universal connectors</li> <li>• Radar detection reflectors</li> <li>• Pouches for battery lights</li> <li>• Towing bridles, mooring sets, boom repair kit supplied</li> </ul> |
| <b>7.5m Landing Craft (7500 Open)</b>  |  |
|   | <ul style="list-style-type: none"> <li>• Aluminium construction</li> <li>• Bow ramp door</li> <li>• Self draining deck</li> <li>• 7.5m long, 2.6m wide, draft 0.4m</li> <li>• Weight 1800kg</li> <li>• Carrying capacity 1100kg</li> <li>• 120 litre fuel tank</li> <li>• Power 250HP</li> <li>• Trailer monuted</li> </ul>  |
| <b>1 x Bow Collector Brush Skimmer (LBC-2B/ 3200 A)</b>                            |  |
|  | <ul style="list-style-type: none"> <li>• Bow mounted to Landing Craft</li> <li>• Sweeping width 3m</li> <li>• Rated recovery 82m3/hr</li> <li>• Free water collected &lt; 5%</li> <li>• Dimensions l x w x h(m) 2.7 x 0.5 x 0.4</li> <li>• Chain brush conveyor</li> <li>• Oleophilic and Mechanical action</li> <li>• Recovers full range of black oils</li> <li>• Hydraulic power pack with diaphragm pump, hose kit</li> </ul>                              |
| <b>5 x Collapsible Tank 11.4m3 (LCT TSC 11.4m3)</b>                                |  |
|  | <ul style="list-style-type: none"> <li>• Capacity 11,400 litres</li> <li>• Height 1.2m</li> <li>• Weight 125kg</li> <li>• Polyester reinforced PVC plastic</li> <li>• Light weight aluminium construction frame</li> <li>• Simple and quick assembly</li> <li>• No tools required to assemble</li> </ul>   |
| <b>Sorbents will also be required</b>  |  |
|  | <ul style="list-style-type: none"> <li>• LSES can supply a full range of sorbent materials to include; pads, rolls, pillows, single booms, twin booms, sweeps, Pom Poms etc. for final polishing and to reduce secondary contamination</li> </ul>  |






# LAMOR SWIRE ENVIRONMENTAL SOLUTIONS

**PORT PACKAGE "B" – 1 package in LSES stock**

|   |  |
|---|--|
| <b>200m Foam Filled Boom (FOB 900/25)</b>   |  |
|    | <ul style="list-style-type: none"> <li>• Solid flotation "Fence Boom"</li> <li>• 25m lengths x 0.9m wide</li> <li>• Weighs 5.3kg/m</li> <li>• Loaded 100m/ storage rack</li> <li>• PVC coated polyester construction</li> <li>• Chain ballast and tension member</li> <li>• ASTM universal connectors</li> <li>• Radar detection reflectors</li> <li>• Pouches for battery lights</li> <li>• Towing bridles, mooring sets, boom repair kit supplied</li> </ul> |
| <b>1 x Medium Size Brush Skimmer (Minimax MM30 B/ GTA 30)</b>                       |  |
|   | <ul style="list-style-type: none"> <li>• Rated recovery 30m<sup>3</sup>/hr</li> <li>• Free water collected &lt; 5%</li> <li>• Dimensions l x w x h(m) 2.7 x 1.7 x 1.4, weight with pump 209kg</li> <li>• V-Chain Brush Type Conveyors</li> <li>• Oleophilic and Mechanical action</li> <li>• Recovers full range of black oils</li> <li>• Removeable Archimedes screw pump</li> <li>• Hydraulic power pack, back-up power pack, hose kits</li> </ul>           |
| <b>1 x Transfer Pump (GTA 20)</b>   |  |
|  | <ul style="list-style-type: none"> <li>• Submersible Archimedes screw pumps</li> <li>• Rated 20m<sup>3</sup>/hr</li> <li>• Useful for tank to tank transfer</li> <li>• Benefits from water / steam annular injection on the inlet</li> <li>• Able to recover all black oils</li> <li>• Hydraulic power pack, hose sets</li> </ul>  |
| <b>5 x Collapsible Tank 11.4m<sup>3</sup> (LCT TSC 11.4m<sup>3</sup>)</b>           |  |
|  | <ul style="list-style-type: none"> <li>• Capacity 11,400 litres</li> <li>• Height 1.2m</li> <li>• Weight 125kg</li> <li>• Polyester reinforced PVC plastic</li> <li>• Light weight aluminium construction frame</li> <li>• Simple and quick assembly</li> <li>• No tools required to assemble</li> </ul>   |
| <b>Sorbents will also be required</b>   |  |
|   | <ul style="list-style-type: none"> <li>• LSES can supply a full range of sorbent materials to include; pads, rolls, pillows, single booms, twin booms, sweeps, Pom Poms etc. for final polishing and to reduce secondary contamination</li> </ul>  |

# LAMOR SWIRE ENVIRONMENTAL SOLUTIONS

**PORT PACKAGE "C" – 10 packages in LSES stock**

|   |  |  |
|---|--|--|
| <b>200m Foam Filled Boom (FOB 900/25)</b>   |  |  |
|    |  | <ul style="list-style-type: none"> <li>• Solid flotation "Fence Boom"</li> <li>• 25m lengths x 0.9m wide</li> <li>• Weighs 5.3kg/m</li> <li>• Loaded 100m/ storage rack</li> <li>• PVC coated polyester construction</li> <li>• Chain ballast and tension member</li> <li>• ASTM universal connectors</li> <li>• Radar detection reflectors</li> <li>• Pouches for battery lights</li> <li>• Towing bridles, mooring sets, boom repair kit supplied</li> </ul> |
| <b>2 x Small Size Brush Skimmer (Minimax 12 W/S)</b>                                |  |  |
|   |  | <ul style="list-style-type: none"> <li>• Rated recovery 12m<sup>3</sup>/hr</li> <li>• Free water collected &lt; 6%</li> <li>• Dimensions l x w x h(m) 0.9 x 0.7 x 0.4</li> <li>• Weight with pump 28kg</li> <li>• Brush Wheel system</li> <li>• Oleophilic and Mechanical action</li> <li>• Recovers full range of black oils</li> <li>• Hydraulic power pack with diaphragm pump</li> <li>• Hose kit</li> </ul>   |
| <b>2 x Collapsible Tank 4m<sup>3</sup> (LCT 4)</b>                                  |  |  |
|  |  | <ul style="list-style-type: none"> <li>• Capacity 4,650 litres</li> <li>• Dimensions l x w x h(m) 4.0 x 1.7 x 0.7</li> <li>• Polyester reinforced PVC plastic</li> <li>• Light weight aluminium construction frame</li> <li>• Simple and quick assembly</li> <li>• No tools required to assemble</li> </ul>  |
| <b>4 x Collapsible 7.6m<sup>3</sup> (LTC TSC 7.6m<sup>3</sup>)</b>                  |  |  |
|  |  | <ul style="list-style-type: none"> <li>• Capacity 7,600 litres</li> <li>• Height 1.2m, Weight 100Kg</li> <li>• Polyester reinforced PVC plastic</li> <li>• Light weight aluminium construction frame</li> <li>• Simple and quick assembly, no tools required</li> </ul>  |
| <b>1 x Collapsible Tank 11.4m<sup>3</sup> (LCT TSC 11.4m<sup>3</sup>)</b>           |  |  |
|  |  | <ul style="list-style-type: none"> <li>• Capacity 11,400 litres</li> <li>• Height 1.2m, Weight 125kg</li> <li>• Polyester reinforced PVC plastic</li> <li>• Light weight aluminium construction frame</li> <li>• Simple and quick assembly, no tools required</li> </ul>   |
| <b>Sorbents will also be required</b>   |  |  |
|   |  | <ul style="list-style-type: none"> <li>• LSES can supply a full range of sorbent materials inc.: pads, rolls, single / twin booms, sweeps, Pom Poms for final polishing &amp; to reduce secondary contamination</li> </ul>   |